Notice of Allowability	Application No.	Applicant(s)
	10/773,884	DANIELS, JEROME
	Examiner	Art Unit
	Hau V. Phan	3618
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 4/5/2006.		
2. The allowed claim(s) is/are <u>1-15</u> .		
 Acknowledgment is made of a claim for foreign priority una)	been received. been received in Applicatio	n No
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 □ Notice of In	formal Datont Application (DTO 152)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		formal Patent Application (PTO-152) ummary (PTO-413),
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./	Mail Date Amendment/Comment
Paper No./Mail Date		
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. ⊠ Examiner's 9. □ Other	Statement of Reasons for Allowance
		Hau V Phan Primary Examiner Art Unit: 3618

Application/Control Number: 10/773,884

Art Unit: 3618

DETAILED ACTION

Page 2

Acknowledgment

1. The amendment filed on 4/5/2006 has been entered.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Craig Barber on 3/29/2006 to amend the original claim filed on 6/20/2005.

Claim 1, line 1, before "liquid supply" insert – vehicle having a –

Claim 1, line 1, after "liquid supply," delete "apparatus for occupants of a vehicle having"

Claim 1, line 2, before "comprising" change "apparatus" to – said liquid supply –

Claim 1, line 5, after "thermoelectric" delete "liquid"

Claim 1, line 5, after "heat exchanger" insert – having a heat exchanger element, which is wound around a liquid connection to heat or cool the liquid connection, said liquid connection is connected between the liquid supply reservoir and a liquid dispenser, --

Claim 1, lines 4, 6, 11, 12, 14, 18, change "such" to - the -

Application/Control Number: 10/773,884 Page 3

Art Unit: 3618

Claim 1, line 7, after "vehicle" delete ", the thermoelectric liquid heat exchanger having an operative liquid connection from the liquid reservoir, whereby liquid within such operative liquid connection may have its heat content altered by thermoelectric liquid heat exchanger"

Claim 1, line 11, before "liquid dispenser" change "a" to - the -

Claim 1, line 12, after "vehicle" delete ", the liquid dispenser having an operative liquid connection from the thermoelectric liquid heat exchanger"

Claim 1, line 14-15, after "operatively connected to" delete "at least one of"

Claim 1, line 15, after "the liquid" change "connections' to - connection -

Claim 1, line 16, after "thermoelectric" delete "liquid"

Claim 1, line 18, change "connections are" to – connection is –

Claims 2-15, line 1, before "liquid supply" insert – vehicle –

Claim 2, change "such" to – the –

Claim 14, line 1, after "wherein" delete "each of"

Claim 14, line 2, change "connections further comprises: to – connection further comprise: --

Claim 15, lines 2, 4, after "thermoelectric" delete "liquid"

Allowable Subject Matter

- 3. Claims 1-15 are allowed.
- 4. The following is an examiner's statement of reasons for allowance. The prior art does not teach the vehicle having a liquid supply as recited in claim 1, which includes a

liquid supply reservoir, a thermoelectric heat exchanger having a heat exchange element, which is wound around a liquid connection to heat or cool the liquid connection. The liquid connection is connected between the liquid reservoir and a liquid dispenser. The liquid dispenser has a first position on an exterior of a dashboard of the vehicle. This recitation, in combination with the rest of the recited elements, clearly defines over the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hau V. Phan whose telephone number is 571-272-6696. The examiner can normally be reached on 7:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Ellis can be reached on 571-272-6914. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/773,884

Art Unit: 3618

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hau V Phan Primary Examiner Art Unit 3618

Hayhan 4/14/06